



數位扭力扳手 *Digital Torque Wrench*

- LCD背光顯示
- 順時針及逆時針皆可操作
- 峰值保持(K) 與扭力追隨(F)模式 (可訂製特殊K模式) · WA series另含角度模式 (A)
- 四種扭力單位 · 可供選擇切換:N-m, kgf-cm, lbf-in, lbf-ft
WM-SD系列為三種扭力單位:cN-m, kgf-cm, in-lb
- 蜂鳴聲、LED燈警示(到達預設扭力值80%時)
- 震動警示(到達預設扭力值90%時)
- 省電模式: 2分鐘自動關機 (可訂製不關機模式)
- 記錄使用次數、歷史最大扭力
- 藍牙款:透過藍牙連線手機 · 隨時查詢歷史扭力紀錄(最多可瀏覽1000筆)
可透過Type-C將歷史扭力紀錄傳輸到電腦 · 以利品質控管
- LCD backlight display
- Both operator for cw, ccw
- Two modes : Peak hold (K) / Track (F), WA series also include an Angle (A)
- 4 units change: N-m, kgf-cm, lbf-in, lbf-ft (WM-SD series: cN-m, kgf-cm, in-lb)
- Warning function : Beep, LED indicator (When reach the torque setting value 80%)
- Vibration function : When reach the torque setting value 90%
- Automatically powers off when not in use for 2 minutes
(The non-shutdown mode can be customized)
- Recording usage frequency and the historical maximum torque
- Bluetooth Type: Access historical data at any time through Bluetooth connection to the mobile phone.(View up to 1000 records) connect via Type-C to save data on the computer



mobile wrench



BT-APP



影片-藍牙款
Video-BT



電腦軟體-藍牙款
Software-BT



影片-標準款
Video

WM-Q(-BT)



棘輪切換
Reversible ratchet




棘輪方頭
Square head



快速脫離
Quick release

WM-I(-BT)



棘輪切換
Reversible ratchet



棘輪方頭/插槽
Square head / Insert




快速脫離
Quick release

WM-SD(-BT)



強磁吸附
Magnetic adsorption



Bit 六角插槽
Bit Insert(Hex)



前拉脫離
Front pull out

WM-B(-BT)



棘輪切換
Reversible ratchet



Bit 六角插槽
Bit Insert(Hex)




夾持設計
Clamping Mechanism



藍牙充電款：①電源重置
②USB插頭(Type C)
Bluetooth Type：①Reset
②USB insert(Type C)



震動警示功能
Vibration function



校正定位點
Calibration point



防油防滑設計握柄(專利)
Non-slip grip handle(patent)



WQ-30-1
DGTQB2013800001
MADE IN TAIWAN
單支出廠序號查詢
Unique code for each wrench



簡易操作
Use friendly




LED提醒/蜂鳴警示
LEDs(Green/Red)/Buzzer



電池款-使用AAA*2電池
藍牙款-使用10440電池
Battery Type-AAA*2 batteries
Bluetooth Type-10440 battery

藍牙充電款：內建電芯保護特規電池，請勿自行更換市售充電電池
Bluetooth Type：Built-in battery with special specifications for cell protection, please do not replace it with commercially available rechargeable batteries.





迷你型控制按鈕及顯示面板
Mini control buttons and display panel

加購配件·請參考31頁
Optional add-on
Please refer to P.31



WM-SD



WM-SD(-BT)



藍牙功能 Bluetooth features



扳手內建記憶體，
可將扳手歷史數據
連線手機進行輸出

The wrench has
built-in memory,
allowing it to connect
to a mobile phone to
output historical data.

■ 配件：收納用鐵製工具箱x1，出廠校驗報告(符合ISO品質認證規範)x1，說明書(中/英)x1，套筒用轉接頭(六角轉四角方頭1/4")x1，藍牙-充電款：Type-C 充電線，電池款：AAA電池x2，迷你螺絲起子(更換電池用)x1

■ Content：Storage steel box x1, Certificate of calibration report (Using ISO specification) x1, User guide(Bilingual) x1, 1/4" Hex Shank Socket Adapter x1, Bluetooth Type: Type-C cable, Battery Type: Mini screwdriver(replace the battery) x1

SPECIFICATIONS:

※Unit Conversion : 1 cNm = 0.01 Nm = 0.102 kgf-cm = 0.088 lbf-in

產品編號 Item No.		精度 Accuracy	Bit 六角插槽 Bit Insert	顯示及設定範圍 Setting Range	建議使用範圍 Suggested Range	解析度 Resolution	起子長度 Length (mm)	起子重量 Weight (g)
電池款 Battery Type	藍牙-充電款 Bluetooth Type							
WM-SD50-1	WM-SD50-1-BT	CW:±3% CCW:±4%	1/4"	5~50 cNm	10~50 cNm (0.1~0.5 Nm)	0.1 cNm	234	180
WM-SD200-1	WM-SD200-1-BT			10~200 cNm	30~200 cNm (0.3~2 Nm)			
WM-SD400-1	WM-SD400-1-BT			20~400 cNm	60~400 cNm (0.6~4 Nm)			

註：精度的扭力範圍在最大操作值的20%~100%

Notes: Accuracy guaranteed at 20% to 100% of full scale.



W-SB25-1



W-SB25-2



W-SB25-3



W-SB25-4



W-SB25-5



W-SB50-0

SPECIFICATIONS:

產品編號 Item No.	規格 Specification	六角頭部 Insert Hex Shank	長度 Length	適用產品 Apply to
W-SB25-1	六角型 / Hex : 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm	1/4"	~25mm	WM-SD series WM-B series
W-SB25-2	六角型 / Hex : 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm			
W-SB25-3	一字 / Slotted : 4, 5.5, 7 十字 / Phillips : PH00, PH0, PH1, PH2			
W-SB25-4	星型 / Star Tamperproof : T10, T15, T20, T25, T27, T30, T40			
W-SB25-5	星型 / Star Tamperproof : T4, T5, T6, T7, T8, T9, T10			
W-SB50-0	一字 4。十字 PH00, PH0。六角 1.5mm, 2mm, 2.5mm, 3mm		~50mm	WM-SD series